


Kołnierze płaskie wg EN1092-1 typ 01 PN16

| DOSTĘPNE GATUNKI | | | |
|------------------|--------|-------------------|--------|
| Szeroki wybór | | Ograniczony wybór | |
| 1.4301/1.4307 | 1.4541 | 1.4306 | 1.4462 |
| 1.4404 | 1.4571 | 1.4435 | 1.4539 |



| DN | RURA [MM] | KOŁNIERZ | | | | ŚRUBY | | | WAGA [KG] |
|------|-----------|----------|---------|--------|---------|--------|-------|---------|-----------|
| | | Dz [MM] | Dw [MM] | g [MM] | Dp [MM] | liczba | gwint | Do [MM] | |
| 10 | 13,5 | 90 | 14,0 | 14 | 60 | 4 | M12 | 14 | 0,60 |
| | 17,2 | | 18,0 | | | | | | |
| 15 | 18,0 | 95 | 18,5 | 14 | 65 | 4 | M12 | 14 | 0,67 |
| | 20,0 | | 20,5 | | | | | | |
| | 21,3 | | 22,0 | | | | | | |
| 20 | 23,0 | 105 | 24,0 | 16 | 75 | 4 | M12 | 14 | 0,94 |
| | 25,0 | | 26,0 | | | | | | |
| 25 | 26,9 | 115 | 27,5 | 16 | 85 | 4 | M12 | 14 | 1,11 |
| | 28,0 | | 29,0 | | | | | | |
| | 30,0 | | 31,0 | | | | | | |
| | 33,7 | | 34,5 | | | | | | |
| 32 | 35,0 | 140 | 36,0 | 18 | 100 | 4 | M16 | 18 | 1,82 |
| | 38,0 | | 39,0 | | | | | | |
| 40 | 42,4 | 150 | 43,5 | 18 | 110 | 4 | M16 | 18 | 2,08 |
| | 43,0 | | 44,0 | | | | | | |
| | 44,5 | | 45,5 | | | | | | |
| | 48,3 | | 49,5 | | | | | | |
| 50 | 54,0 | 165 | 55,0 | 20 | 125 | 4 | M16 | 18 | 2,73 |
| | 57,0 | | 58,1 | | | | | | |
| 65 | 60,3 | 185 | 61,5 | 20 | 145 | 8 | M16 | 18 | 3,16 |
| | 69,0 | | 71,0 | | | | | | |
| | 76,1 | | 77,5 | | | | | | |
| 80 | 84,0 | 200 | 85,5 | 20 | 160 | 8 | M16 | 18 | 3,60 |
| | 88,9 | | 90,5 | | | | | | |
| 100 | 104,0 | 220 | 105,0 | 22 | 180 | 8 | M16 | 18 | 4,39 |
| | 108,0 | | 109,6 | | | | | | |
| | 114,3 | | 116,0 | | | | | | |
| | 129,0 | | 131,0 | | | | | | |
| 125 | 133,0 | 250 | 134,8 | 22 | 210 | 8 | M16 | 18 | 5,41 |
| | 139,7 | | 141,5 | | | | | | |
| | 154,0 | | 156,0 | | | | | | |
| 150 | 159,0 | 285 | 161,0 | 24 | 240 | 8 | M20 | 22 | 7,14 |
| | 168,3 | | 170,5 | | | | | | |
| | 204,0 | | 206,5 | | | | | | |
| 200 | 219,1 | 340 | 221,5 | 26 | 295 | 12 | M20 | 22 | 9,73 |
| | 254,0 | | 257,4 | | | | | | |
| | 273,0 | | 276,5 | | | | | | |
| 250 | 306,0 | 405 | 308,5 | 29 | 355 | 12 | M24 | 26 | 14,2 |
| | 323,9 | | 327,5 | | | | | | |
| 300 | 355,6 | 460 | 359,5 | 32 | 410 | 12 | M24 | 26 | 19,0 |
| 350 | 406,4 | 520 | 411,0 | 35 | 470 | 16 | M24 | 26 | 28,2 |
| 400 | 457,0 | 580 | 462,0 | 38 | 525 | 16 | M27 | 30 | 35,9 |
| 450 | 508,0 | 640 | 513,5 | 42 | 585 | 20 | M27 | 30 | 46,1 |
| 500 | 610,0 | 715 | 616,5 | 46 | 650 | 20 | M30 | 33 | 64,0 |
| 600 | 711,0 | 840 | - | 55 | 770 | 20 | M33 | 36 | 102 |
| 700 | 813,0 | 910 | - | 63 | 840 | 24 | M33 | 36 | - |
| 800 | 814,0 | 1025 | - | 74 | 950 | 24 | M36 | 39 | - |
| 900 | 1016 | 1125 | - | 82 | 1050 | 28 | M36 | 39 | - |
| 1000 | 1219 | 1255 | - | 90 | 1170 | 28 | M39 | 42 | - |
| 1200 | 1422 | 1485 | - | - | 1390 | 32 | M45 | 48 | - |
| 1400 | 1626 | 1685 | - | - | 1590 | 36 | M45 | 48 | - |
| 1600 | 1829 | 1930 | - | - | 1820 | 40 | M52 | 56 | - |
| 1800 | 2032 | 2130 | - | - | 2020 | 44 | M52 | 56 | - |
| 2000 | - | 2345 | - | - | 2230 | 48 | M56 | 62 | - |